

## AUTOMATIC PRICING METHOD AND DEVICE

### Background of the Invention:

#### 1. Field of the Invention:

5           The present invention relates to an electronic commerce system that employs a network such as the Internet, and particularly to a method and a device for pricing items that are marketed or for determining items to be displayed in the web marketing system when  
10       conducting electronic commerce using a web marketing system on a network.

#### 2. Description of the Related Art:

          With the popularization of networks such as the Internet, servers referred to as "web marketing systems"  
15       have been established as electronic commerce systems on these networks, and the online offering of services and sales of goods has gained widespread acceptance. The price of sales items in these electronic commerce systems is generally fixed at a value determined by the system  
20       manager. There are also examples known as "auction systems" and "reverse auction systems" that employ dynamic pricing.

          However, no electronic commerce system exists in which sales prices are automatically set using past sales  
25       records with the aim of maximizing the seller's profits.

          The electronic commerce system that can be considered to be the most relevant to the present

invention is used at a web marketing site called  
"outletzoo.com" (<http://outletzoo.com/>) and adopts a  
dynamic pricing method in which prices drop at a fixed  
rate with the object of selling all surplus stock. Since  
5 prices change according to a fixed schedule in this method,  
however, this method lacks the function of setting optimal  
price according to the history of past sales.

From the viewpoint of the capacity of the server, a  
single electronic commerce system or web marketing system  
10 is considered capable of handling from several tens of  
thousands to several hundreds of thousands of items.  
Customers that visit these systems generally browse the  
system web page and decide on items to purchase using  
Internet browser software. Although optimal display of  
15 items on the web page is considered necessary to maximize  
the total sales or total profit, electronic commerce  
systems or web marketing systems of the prior art lacked  
the viewpoint of optimizing the determination of items  
that are displayed.

#### Summary of the Invention:

It is an object of the present invention to provide  
a method and device that were lacking in electronic  
commerce systems of the prior art for setting the price of  
25 an item to be sold based on such factors as past prices  
and sales trends so as to automatically maximize the  
profit of the seller.

It is another object of the present invention to provide a method and device for determining items that should be displayed so as to automatically maximize the profits of a seller in an electronic commerce system.

5           The object of the present invention is an automatic pricing method for setting the prices of items that are marketed in a web marketing system that performs electronic commerce on a network, and includes steps of: at each point in time, carrying out marketing for fixed  
10   time intervals using a price that is one step size higher than, and a price that is the same step size lower than, the optimal price estimate at that time; comparing profits obtained as the result of the marketing; updating the optimal price estimate at the time in question in a  
15   direction of price at which greater profit was obtained; and repeating the marketing step, the comparison step, and the updating step.

          The object of the present invention is also achieved by an automatic pricing method which comprises the steps  
20   of: (i) calculating, at each point in time, a price for each item by using both a weight vector obtained by adding a step vector that is generated randomly or pseudo-randomly to the estimate of the optimal weighting vector at that time, and a weight vector obtained by subtracting  
25   said step vector from the estimate of the optimal weight vector; (ii) conducting marketing for fixed time intervals using the calculated prices; (iii) comparing profits

obtained as a result; (iv) updating the estimate of the optimal weight vector at the time in question for each item is updated toward the price at which the higher profit was obtained; and (v) repeating the steps (i) to (iv); wherein the set price of each item is calculated as the inner product of the weight vector for each item and the attribute vector of the item.

Another object of the present invention is realized by a method of determining items to display in a web marketing system that performs electronic commerce on a network, the method comprising the steps of carrying out the above-described automatic pricing method; and selecting and displaying a fixed number of items that maximize an evaluation value which is higher amount of profit of profits that were obtained at two sales prices at each point in time and for each item, the two sales prices being adopted at preceding time point.

The present invention enables a web marketing system that automatically and rapidly carries out appropriate price setting in electronic commerce on a network such as the Internet in order to maximize profits during repeated marketing without setting appropriate prices in advance.

The above and other objects, features, and advantages of the present invention will become apparent from the following description based on the accompanying drawings which illustrate examples of preferred embodiments of the present invention.

### Brief Description of the Drawings:

Fig. 1 is a block diagram showing the architecture of an automatic pricing and display item determination system according to a preferable embodiment of the present invention;

Fig. 2 shows the pseudo-code of StochPrice, which is a pricing method;

Fig. 3 shows the pseudo-code of FeaturePrice, which is a pricing method;

Fig. 4 shows the pseudo-code of VarietySelection, which is a display item determination method; and

Fig. 5 shows an example of a computer system for realizing the automatic pricing and display item determination system.

### Detailed Description of the Preferred Embodiments:

Automatic pricing and display item determination system 10 shown in Fig. 1 is used by connecting to web marketing system 13, which is connected to Internet 14, establishes an electronic commerce site, and carries out electronic commerce. Automatic pricing and display item determination system 10 is made up by: input unit 11, output unit 12, item information storage 31, marketing history data storage 32, automatic price calculation unit 33, and item display unit 34. User terminals 15 that are used by each customer are connected to Internet 14.

Input unit 11 communicates with web marketing system 13 and receives: various attribute information (item information) relating to items that are the object of marketing on this web marketing system 13; various  
5 attribute information relating to customers; and information relating to various sales conditions such as sales volume and price of each item for a fixed time period. The information relating to the various sales conditions is referred as marketing information.

10 Information received in input unit 11 is stored in item information storage 31 and marketing history data storage 32, item information storage 31 specifically storing item information and marketing history data storage 32 storing the marketing information.

15 Based on marketing information, particularly marketing history data, stored in marketing history data storage 32 and the item information stored in item information storage 31, automatic price calculation unit 33 updates the price of each item and outputs the result  
20 as price information.

The manner of updating of the price of each item will be described in detail hereinbelow, but the price updating method is basically realized by marketing for fixed time intervals using a price that is one step higher  
25 and a price that is the same step lower than the optimal price estimate at that time, comparing the profits obtained as a result of this marketing, updating the

optimal price estimate at that time in the direction of the price at which the higher profits were obtained, and then repeating this updating process.

5 Item display unit 34 determines the items that should be displayed in the web marketing system and the order of their display based on marketing information stored in marketing history data storage 32 and item information stored in item information storage 31, and outputs results as item display information. The actual  
10 method of selection of items that should be displayed and determination of the display order is described hereinbelow.

Output unit 12 communicates with web marketing system 13 and transmits price information obtained at  
15 automatic price calculation unit 33 and item display information obtained at item display unit 34 to web marketing system 13. Web marketing system 13 sets the prices of marketed items and sets the display order of items on the web page of web marketing system 13 based on  
20 the received price information and item display information.

Explanation next concerns automatic pricing in this automatic pricing and display item determination system, i.e., the calculation of item prices in automatic price  
25 calculation unit 33.

Explanation first concerns the items that serve as background. Although there are exceptions, the sales

volume of an item is generally inversely proportional to its price. In this explanation, the number of items sold at price  $p$  is represented by  $S(p)$ . Price elasticity varies according to the item, i.e., the sale of some items is sensitive to changes in price, while the sale of other items is less affected, and as a result,  $S(p)$  is considered to be unknown beforehand by the online marketing system. In online marketing,  $S(p)$  can be estimated by observing the number of items sold as price  $p$  is varied from hour to hour. As the simplest method, an item is marketed for fixed time intervals at a price that is a particular step size higher than the optimal price estimate at a particular time and a price that is the same step size lower than the optimal price estimate, the profits obtained as a result of this marketing are compared, and the optimal price estimate is updated in the direction of the price at which higher profits were obtained.

Profit per unit also changes according to price and sales volume. This function is generally difficult to determine due to the complex intertwining of factors such as reductions in cost resulting from mass production, but for individual items, it is considered possible to approximate this function as a function of price and sales volume. If the cost per unit is represented by  $C(p, N)$  as a function of price  $p$  and sales volume  $N$ , and the total profit at price  $p$  is represented by  $P(p)$ , then:



$$P(p) = S(p) \cdot (p - C(p, S(p)))$$

As a special case, the cost  $C$  of a product having digital content is not affected by sales volume, and the above formula can be simplified to:

$$P(p) = S(p) \cdot p - C$$

It is an object of the automatic pricing method based on the present invention to estimate as rapidly as possible price  $p$  that maximizes  $P(p)$ , and to automatically set this price. In other words, the value of  $p^*$  such that:

$$p^* = \arg \max_p P(p)$$

is sought. It must be noted that the object here is to find  $p^*$  and not necessarily to estimate  $P(p)$ .

In the first automatic pricing method of the present invention,  $p^*$  is independently estimated and the price set for each item. For the sake of simplification, a case is assumed in which unit cost does not change in accordance with price and sales volume. In other words, it is assumed that the function of total profit is:

$$P(p) = S(p) \cdot p - C$$

In maximizing  $P(p)$ ,  $C$  can be ignored, and the formula can therefore be further simplified to:

$$P(p) = S(p) \cdot p$$

In other words,  $P(p)$  can simply be taken as the sales. However, when determining the items that should be displayed in concert with this automatic pricing method (a case in which the method described hereinbelow of

determining items to display is carried out),  $P(p)$  is generally taken as  $S(p) \cdot p - C$  because comparisons must be made between the profits of different items.

Since legal constraints may apply to the price range, it is assumed that maximum possible price  $p_{max}$  and minimum possible price  $p_{min}$  are given. Since a common-sense price of a particular level is desired, input  $p_{init}$  is also given beforehand as the initial value of a price. The first automatic pricing method is repeated as follows based on this input information.

(1) The current value  $p$  of a price is set to initial price  $p_{init}$ .

(2) Online sales are carried out for fixed time intervals at both prices  $p+\Delta$  and  $p-\Delta$  for a step size  $\Delta$  that is suitably determined as a decreasing function of the number of trials, and profit is calculated by the following formula according to the sales volumes ( $S(p+\Delta)$  and  $S(p-\Delta)$ ) that are obtained in these time intervals.

The value  $I^{-\alpha}$  can be used as step size  $\Delta$ , where  $0 < \alpha < 1$  and  $I$  is the number of times (number of trials) in past marketing intervals. For example,  $\Delta = I^{-1/3}$ .

$$P(p+\Delta) = S(p+\Delta) \cdot (p+\Delta)$$

$$P(p-\Delta) = S(p-\Delta) \cdot (p-\Delta)$$

the current price  $P$  is updated as follows:

$$p := p + \frac{A}{\Delta} \frac{P(p + \Delta) - P(p - \Delta)}{2T}$$

where  $A$  is an update width constant that is determined as appropriate as a decreasing function of the number of trials (for example,  $A = 1/I$ ).

5 This value of  $A$  is clamped if  $p$  exceeds the maximum possible price or falls below the minimum possible price.

The above-described automatic pricing method is referred to as stochastic pricing. Fig. 2 shows the pseudo-code of procedure *StochPrice* for executing this  
10 automatic pricing method.

A method that uses item attributes is next explained as the second automatic pricing method.

A method for independent pricing of each item, for example, the above-described first pricing method, may  
15 take a considerable amount of time for the price of a new item to converge on the optimal price. In such a case, faster convergence upon a price that is close to the optimum through the use of information such as item attributes can be considered. Such an automatic pricing  
20 method is here proposed.

A binary attribute vector  $X$  of a particular item is given, and its components are written as, for example,  $x_i$ . These components may be purely item attributes such as item categories, or, if available, may be combined with  
25 user attributes such as age and gender. For example, a combined attribute  $x_1 = y_1 \cdot y_2$  may be constituted from the

related attributes  $y_1 = \text{"cosmetics"}$  and  $y_2 = \text{"female"}$ .

More accurately, for all values  $u_1, u_2, v_1$ , and  $v_2$  that can be taken by  $x_1, x_2, y_1$ , and  $y_2$ ,  $x_1 = u_1, x_2 = u_2, y_1 = v_1$ , and  $y_2 = v_2$  are each defined as binary attributes; and in addition to these attributes, combined attributes such as  $(x_1 = u_1) \cdot (y_1 = v_1)$  are used.

The basic idea of this second automatic pricing method is to assume that the optimal price of an item can be approximately represented as a linear function of the attributes of that item. In other words, there is a particular weight vector  $W$  having the same dimensions as an item attribute vector. The maximum value of the total profit function  $P_x(p)$  for any item when the item attribute of that item is  $X$  and when the price of  $X$  is  $p$  is approximately obtained at  $W \cdot X$ .

$$p_x^* = \arg \max_p P(p) = W \cdot X$$

It should be noted that it is here assumed that  $P_x^*(p)$  can be linearly approximated, and this is definitely a weaker assumption than the assumption that the function  $P_x(p)$  itself can be approximated by some simple form (for example, linear). It can generally be predicted that  $P_x(p)$  is a complicated function, but it is not unnatural to assume that the optimal point can be (approximately) represented by a linear function of the attribute vector. As stated hereinabove, the object of the automatic pricing method is to find  $p_x^*$  and not to estimate  $P_x(p)$ , and using

the above-described assumption therefore enables an efficient automatic pricing method.

The third automatic pricing method is a method that is similar in concept to the above-described second automatic pricing method for automatically pricing a single item but has as a special feature a search in a multidimensional parameter space (i.e., attribute space). The procedure of this method is as follows:

(1) Attribute vector  $X(i)$  is calculated for each of the object items based on the item attributes and the buyer attributes of the current user.

(2) The current value  $p(i)$  of the price for each item is set to an initial price  $W \cdot X(i)$  using a current weighing vector  $W$ .

(3) Vector  $\bar{\Delta}(i)$  of length  $\Delta$  in a random direction is generated for each item  $i$ . Here, the "random direction" includes a direction generated by pseudo-random numbers.  $\Delta$  is a step size that is appropriately determined as a decreasing function of the number of trials  $I$ . In this case as well,  $I$  is the number of times (number of trials) in past marketing intervals, and the value  $I^{-\alpha}$  can be used as step size  $\Delta$ , where  $0 < \alpha < 1$ . For example,  $\Delta = I^{-1/3}$ .

(4) The current price of each item  $i$  is set as shown below using vector  $\bar{\Delta}(i)$  that has been obtained in this way:

$$p(i) := \{W + \vec{A}(i)\} \cdot X(i)$$

Furthermore, if the above-described price  $p(i)$  exceeds a maximum price or falls below a minimum price, the above-described vector  $\vec{A}(i)$  for each item is amended by

5 multiplying by a constant of the required minimum.

(5) The item is marketed for a fixed time interval at the above-described price  $p(i)$ .

(6) The current price is set as shown below and the item is marketed for a fixed time interval.

10 
$$p(i) := \{W - \vec{A}(i)\} \cdot X(i)$$

Furthermore, if the above-described price  $p(i)$  exceeds a maximum possible price or falls below a minimum possible price, the above-described vector  $\vec{A}(i)$  for each item is amended by multiplying by a constant of the required  
15 minimum.

The total profit for each case is calculated based on the number of sales  $S(W + \vec{A}(i))$  and  $S(W - \vec{A}(i))$  that are obtained as a result of the above-described sales for each item.

20 
$$P(W + \vec{A}(i)) = S(W + \vec{A}(i)) \cdot X(i) (W + \vec{A}(i))$$

$$P(W - \vec{A}(i)) = S(W - \vec{A}(i)) \cdot X(i) (W - \vec{A}(i))$$

(8) The current weight vector  $W$  is updated once for each  $i$  as shown below using the value of  $\vec{A}(i)$ :

$$W := W + \frac{A}{|\vec{A}(i)|} \frac{P(W + \vec{A}(i)) - P(W - \vec{A}(i))}{2T}$$

The above-described third automatic pricing method is also referred to as Feature-based Pricing. Fig. 3 shows pseudo-code of the procedure *FeaturePrice* for executing this third automatic pricing method.

5        A method of optimizing item display in addition to the above-described automatic pricing method is next explained. The display item determination method explained below is executed in item display unit 34.

10        Up to this point, automatic pricing methods have been described that have the object of maximizing total profit (or total sales) for an item. When a large number of items are handled on a single online marketing site, however, there is a limit to the number of items that can be "displayed" at one time on the online site. Even if all  
15        items can be displayed on the web site in theory, in actuality, it can be assumed that there will be great differences in the opportunities for a user to notice different items according to the selection of display order and display page. A strategy for maximizing total  
20        sales is therefore considered from two viewpoints: the selection of display items and the price of items.

25        Resolving the trade-off known as "Exploration-Exploitation trade-off" is one technical problem involved in this setting. The problem of automatic pricing that includes item display that is dealt with here takes on the following forms:

(1) If it is desired that the total sales in a current marketing interval be maximized, items should be displayed or selected in the order of higher estimated sales.

5           (2) If it is desired that the total accumulated sales when viewed over a long term be maximized, the optimal price for each item must be estimated rapidly, and a greater variety of items should be displayed or selected.

10           In actuality, it should be possible to obtain an optimal method of determining pricing and display items by adopting a strategy that is an intermediate of these reciprocal strategies. The following viewpoints were considered in this problem of automatic pricing that includes item display:

15           (1) The estimated profit at the current price of each item:

20           Since the object of online marketing by automatic pricing is the maximization of profit, it is desirable to display items having the highest possible estimated profit even in each trial.

(2) The variety of item attribute vectors:

25           In order to raise the accuracy of estimating the optimal price as a function of item attributes, it is desirable to raise the variety as the aggregation (set) of item attribute vectors of items that are displayed in each trial.



(3) The uncertainty of the estimation of the optimal price function:

In order to realize faster and more accurate estimation, it is desirable to obtain information for items for which the accuracy of estimated optimal price has been low in trials up to the present.

In more concrete terms, the following can be used as a measure (index) for measuring the above points:

(1) The profit in time interval  $2T$  of the time each item is finally displayed:

$$P_{Total}(i, W) = P(W + \bar{\Delta}(i)) + P(W - \bar{\Delta}(i))$$

(2) The sum of Hamming distance between display vectors:

$$H(S) = \sum_{u, v \in S} \sum_i |x(u)_i - x(v)_i|$$

where  $S$  is the aggregation of display items.

(3) The difference in profit between the first and second halves of the time each item is finally displayed:

$$P_{Diff}(i, W) = |P(W + \bar{\Delta}(i)) + P(W - \bar{\Delta}(i))|$$

The following two different item display strategies are obtained by combining these three measures:

(1) Uncertainty Selection:

From among display candidate items, a fixed number of items are selected for which the sum of the estimation uncertainty measure and the expected profit measure is a maximum.

$$\begin{aligned}
 PTotal(i, W) + PDiff(i, W) &= P(W + \bar{\Delta}(i)) + P(W - \bar{\Delta}(i)) \\
 &\quad + |P(W + \bar{\Delta}(i)) + P(W - \bar{\Delta}(i))| \\
 &= 2 \cdot \max\{P(W + \bar{\Delta}(i)), P(W - \bar{\Delta}(i))\}
 \end{aligned}$$

Essentially, this selection method is equivalent to  
 5 ordering according to higher values in the two profit  
 estimates of the last trial for each item. Expressed  
 intuitively, this method is the display of items for which  
 "profit may be high."

## (2) Variety Selection:

10 From among the display candidate items, a fixed  
 number of items are selected for which the sum of the  
 variety measure and expected profit measure is a maximum.  
 In other words, an item aggregate  $S$  that is composed of a  
 fixed number of items that maximize the following amount  
 15 should be selected.

$$\sum_{i \in S} \lambda_1 PTotal(i, W) + \lambda_2 H(S)$$

where  $\lambda_1$  and  $\lambda_2$  are parameters for adjusting the  
 contribution of the two measures.

20 These two methods are display item determination  
 methods.

Regarding the Variety Selection, it is desirable to  
 select  $S$  that maximizes the aggregation:

$$\sum_{i \in S} \lambda_1 PTotal(i, W) + \lambda_2 H(S)$$

As a result, seeking a strict optimal solution  
 25 results an explosion in the number of combinations.

Therefore, at the beginning, an initial solution (i.e., corresponding to  $\lambda_1=1$  and  $\lambda_2=0$ ) is first found that maximizes:

$$\sum_{i \in S} \lambda_1 P_{Total}(i, W)$$

5 and from this solution, local optimal solutions are then found while repeating a successive exchanges to improve the above-described evaluation value. The details of this procedure (*VarietySelection*) are shown in Fig. 4 as pseudo-code. In addition, it is possible to use an  
10 annealing method in this procedure in which  $\lambda_2$  is treated as a temperature.

The whole aspect of an automatic pricing method that incorporates the above-described method for selecting items that should be displayed is obtained by carrying out  
15 the procedures from line 2.2 to line 2.9 of the pseudo-code of *StochPrice* shown in Fig. 2 and from line 2.2. to line 2.7 of the pseudo-code of *FeaturePrice* shown in Fig. 3 for only the items that are selected by means of the above-described display item determination method, and not  
20 for all items. Variety Selection requires item attributes and therefore can be applied only for feature-based pricing (Feature Price). In cases in which the number of display items in a web page extends to a plurality of pages, the items can be sorted and the order of display  
25 determined by the above-described measures.

The above-described automatic pricing and determination of display items can be realized by reading a computer program for realizing these functions to a computer such as a server computer and then executing the program. A program for carrying out automatic pricing and determination of display items is read to a computer through the use of a recording medium such as magnetic tape or a CD-ROM. Fig. 5 is a block diagram showing the architecture of a computer that functions as the above-described automatic pricing and display item determination system by executing this type of program.

This computer is made up by: central processing unit (CPU) 21, hard disc device 22 for storing data or programs, main memory 23, input devices 24 such as a keyboard or mouse, display device 25 such as a CRT, read device 26 for reading recording medium 27 such as magnetic tape or a CD-ROM, and communication interface 28 for connecting to the web marketing system 13. Hard disc device 22, main memory 23, input device 24, display device 25, read device 26, and communication interface 28 are all connected to CPU 21.

This computer functions as an automatic pricing and display item determination system by: mounting recording medium 27, on which is stored a program for carrying out the automatic pricing and display item determination, in read device 26; reading the program from recording medium 27 and storing the program in hard disc device 22; and then executing the program that was stored on hard disc.

device 22 by means of CPU 21.

While preferred embodiments of the present invention have been described using specific terms, such description is for illustrative purposes only, and it is to be

5 understood that changes and variations may be made without departing from the spirit or scope of the following claims.